

# Organism and Trait Index

Organisms are listed by Latin names, with the exception of domesticated plants and animals, which are listed by common name.

6PGD activity

*Drosophila melanogaster* 382

abdominal bristles

*Drosophila melanogaster* 156, 171-72, 173, 236, 271, 326-8, 333-5, 338, 382, 385, 419, 443, 717

*Abies* (Nobel fir)

lethal equivalents 282

*Acinonyx* (Cheetah)

cranial measures 114  
dental characters 114

*Aedes* (mosquito)

genetic map length 211

alcohol dehydrogenase (ADH) activity

*Drosophila melanogaster* 382, 424-5

alga, *see Chlamydomonas*

Alzheimer's disease 419

*Ambystoma* (Tiger salamander)

cannibalistic larval morphs 107, 739

amphibians, *see Ambystoma* (Tiger salamander), *Graptemys* (map turtle)

*Amsinckia* (annual plant)

flower number 287  
total fitness 287, 351  
viability 287  
yield 287

*Anser* (snow goose)

clutch size 549

antennule length

*Bosmina* 303

anthesis date

maize 488

*Antirrhinum majus* (snapdragons)

*pallida* gene 325

anthocyanins

*Mimulus* 478-9

*Petunia* 325

antiherbivore defense

*Pastinaca* 568-9

antipredator behavior

*Thamnophis* 655

*Apis* (honeybee)

wing length 114

apolipoprotein E

human gene 419

*Apterothis* (Triph)

insect-plant interactions 108-109

*Arabidopsis thaliana*

*Agrobacterium* T-DNA plasmid 426

flowering time 489

gene order conservation with *Brassica* 428

genetic map length 211, 236, 396

genome size 396

height 426

life-history traits 338

total fitness 346, 351

weight 117

*Arachis hypogaea*, *see* peanut

*Ascochyta* (pathogenic fungus)

pea infection resistance 478

*Aspergillus nidulans* (bread mold)

growth rate 92-93,

*Astyanax* (Cave fish)

eye diameter 222, 239

*Avena sativa*, *see* oats

Bacteria, *see Escherichia* (human gut bacteria), *Pseudomonas* (plant pathogen)

barley (*Hordeum vulgare*)

*denso* gene 400

*ert* gene 400

genetic map length 211

height 400

life-history traits 338

pathogen resistance 408

yield 674, 678

bean (*Phaseolus vulgaris*)

genetic map length 211

seed color 398

seed weight 11, 13, 398

behavioral traits

mouse 117

*Begonia* (angiosperm)

lethal equivalents 282

bill color

*Taeniopygia* 726

bill depth

*Ficedula* 698

*Melospiza* 551, 698

- bill length  
*Ficedula* 549  
*Geospiza* 549  
*Melospiza* 549
- bison (*Bison bison*)  
 lethal equivalents 278, 279  
 viability 279
- Biston* (peppered moth)  
 melanism 323
- birds, *see* *Anser* (snow goose), chicken (*Gallus gallus*), *Coturnix* (Japanese quail), *Ficedula* (flycatcher), *Geospiza* (Darwin's finches), *Hirundo* (barn swallow), *Melospiza* (song sparrow), *Parus* ( tits), *Passer* (house sparrow), *Passerella* (fox sparrow), *Sturnus* (starling), *Taeniopygia* (zebra finch), *Zonotrichia* (ruffous-collared sparrow)
- birth weight  
 human 168-70, 272  
*Gazella* 255
- bivalves  
 plicae number 114
- blood groups  
 human *M/N*, *S/s* genes 99-100
- blood pressure  
 human 586
- body size  
*Drosophila melanogaster* 549-50  
 human 270  
*Moraba* 381  
 mouse 405, 464, 654  
 rat 653-4
- Bolitotherus* (forked fungus beetle)  
 heterozygosity and growth rate 290
- bone length  
 mouse 112, 338  
*Myotis* 304
- Bos*, *see* bovine
- Bosmina* (cladoceran)  
 antennule length 303  
 tail spine length 303, 304
- bovine (*Bos*)  
 cross-fostering 703  
 lethal equivalents load 278, 279  
 milk production 499, 506  
 viability 279
- brain size  
 mouse 654  
 rat 653-4
- Brassica napus*, *see* rapeseed
- bristle number  
*Drosophila melanogaster* 114, 117, 124  
*also see* abdominal, ocellar, scutellars, and sternopleural bristles
- Caenorhabditis elegans* (nematode)  
 dosage compensation 717-8  
 genetic map length 211
- Callosobruchus* (cowpea weevil beetle)  
 developmental time 664-5  
 emergence weight 664-5  
 pronotum width 664-5  
 wing length 664-5
- cannibalistic larval morph  
*Ambystoma* 107, 739
- Capsicum frutescens*, *see* red pepper
- carotenoids  
*Mimulus* 478-9
- cartilage-hair hypoplasia (CHH) disease  
 human 417-8
- cat, domesticated (*Felis*)  
 coat color 716  
 "tortoise-shell" phenotype 716
- Cavia porcellus*, *see* guinea pig
- Cerion* (snail)  
 morphological variance and enzyme heterozygosity 118
- chemoreceptive response  
*Thamnophis* 648-50
- chest girth  
 human 253, 586
- chicken (*Gallus gallus*)  
 egg production 423  
 egg weight 359  
 lethal equivalents 279  
 MHC haplotypes 423  
 viability 279, 280  
 weight 222, 239
- Chlamydomonas*  
 growth rate 675  
 recessivity of new mutants 65
- cholesterol levels  
 human 356-7, 419
- Clarkia* (angiosperm)  
 lethal equivalents 282
- club foot  
 human 734

- Clupea* (herring)  
 morphological variance and enzyme heterozygosity 118  
 vertebrae number 299
- clutch size  
*Anser* 549  
*Ficedula* 549, 708-9  
*Geospiza* 549  
*Parus* 549  
*Sturnus* 549
- coat color  
 domesticated cat 716  
 mouse 426
- coat pattern  
 guinea pig 124  
*Thamnophis* 106, 655
- Coelopa* (seaweed fly)  
 wing length 381
- Collybia* (fungi)  
 mycelia number 243
- competitive ability  
*Drosophila melanogaster* 255, 271
- corn, *see* maize
- corn borer resistance  
 maize 477-8, 488
- corolla length  
*Mimulus* 239  
 tobacco 239, 398
- corolla width  
*Mimulus* 478-9
- cotton (*Gossypium hirsutum*)  
 fiber 117
- cows, *see* Bovine
- Cottus* (sculpin fish)  
 morphological variance and enzyme heterozygosity 120
- Coturnix* (Japanese quail),  
 lethal equivalents 279  
 viability 279
- cranial measures  
*Acinonyx* 114  
 mouse 338  
*Saguinus* 112, 114
- Crassostrea* (oyster)  
 morphological variance and enzyme heterozygosity 118  
 gonadal development 614
- crop plants, *see* barley (*Hordeum vulgare*), bean (*Phaseolus vulgaris*), cotton (*Gossypium hirsutum*), lettuce (*Lactuca sativa*), lima beans (*Phaseolus lunatus*), maize (*Zea mays*), oats (*Avena sativa*), pea (*Pisum sativum*), peanut (*Arachis hypogaea*), pearl millet (*Pennisetum glaucum*), potato (*Solanum tuberosum*), rapeseed (*Brassica napus*), red pepper (*Capiscum frutescens*), rice (*Oryza sativa*), rye (*Secale cereale*), sorghum (*Sorghum bicolor*), soybean (*Glycine max*), teosinte (*Zea mays*), tobacco (*Nicotiana* species), tomato (*Lycopersicon* species), wheat (*Triticum aestivum*)
- cross-fostering  
 bovine 703  
 porcine 703  
 rat 703  
 sheep 703
- cystic fibrosis (CF) disease  
 human 418
- Danaus* (monarch butterfly)  
 morphological variance and enzyme heterozygosity 118
- Danio* (zebrafish)  
 doubled-haploid lines 401  
 genetic map length 211
- Daphnia*  
 hidden genetic variance 105, 106  
 growth rate 123, 124, 594-5  
 life-history traits 338  
 morphological variance and enzyme heterozygosity 118, 120  
 outbreeding depression 224
- DDT-resistance  
*Drosophila melanogaster* 382
- daylength sensitivity, *see* photoperiod response
- dental characters  
*Acinonyx* 114  
 mouse 114, 116
- developmental rate  
*Callosobruchus* 664-5  
*Drosophila melanogaster* 382  
*Drosophila mercatorum* 647  
*Tribolium* 578-9, 602-3
- diabetes  
 human 420, 421-2, 523, 527, 529, 530, 531, 738-9
- diastrophic dysplasia (DTD) disease  
 human 415-7

- diet shifts  
*Thamnophis* 648-50
- dosage compensation 716-8  
*Caenorhabditis* 717-8  
*Drosophila* 716-7  
 mammalian 716  
 marsupial 716
- Drosophila* (fruit fly)  
 dosage compensation 716-7  
 fitness and inversions 381  
 inbreeding depression in stressful environments 273  
 lethal alleles 65  
 outbreeding depression 224  
 viability 103-105
- Drosophila athabasca*  
 reproductive isolation 389
- Drosophila heteroneura* × *D. sylvestris*  
 head morphology 222, 239
- Drosophila melanogaster*  
 6PGD activity 382  
 abdominal bristles 156, 171-72, 173, 236, 271, 326-8, 333-5, 338, 382, 385, 419, 443, 717  
*achaete-scute* region 326-7  
 alcohol dehydrogenase (ADH) activity 382, 424-5  
*Beadex-3* gene 323  
 body size 549-50  
 bristle number 114, 117, 124  
 competitive ability 255, 271  
*crossveinless* gene 323  
*crossveinless* gene and genetic assimilation 316-17  
*cubitus interruptus* gene 322, 323  
 DDT-resistance 382  
 developmental rate 382  
 egg hatchability 382  
 enzyme activity 337, 338, 339  
*extravert* gene 323  
 eye color 322, 426  
 eye facet number 314-15  
 fertility 271, 352  
 fecundity 382  
 fitness 405  
 G6PF activity 382  
 gametic-phase disequilibrium 100  
 genetic map length 211, 236, 396  
 genome size 396  
 heterozygosity and growth rate 290  
 imaginal discs 655, 723-4
- Drosophila melanogaster* (continued)  
 larval foraging behavior 380  
 lethal equivalents 281  
 longevity 127, 128, 222, 239, 271, 352  
 male mating ability 271, 382  
 morphological variance and enzyme heterozygosity 118  
*notchoid* gene 323  
 ocellar bristle bristles 385  
 ovariole number 617-8  
 recombination rate variation 395  
 reproductive rate 271  
 ribosomal genes 327-8, 717  
*rosy* gene 325  
*rudimentary* gene 325  
*scabrous* gene 327  
*scalloped* gene 323  
*scute* gene 316  
 scutellar bristles 312-13, 316, 385  
*short vein* gene 323  
 senescence 380  
 sternopleural bristles 115, 173, 236, 271, 326-7, 333-6, 338, 382, 385-7  
 thorax length 271, 381, 382  
 total fitness 351  
 transposition rate 339  
*ultrabithorax* gene 323  
*veinlet* gene 324  
 viability 105, 236, 286, 271, 338, 339, 343-5, 351, 352, 382, 608-10  
 weight 173, 263, 271, 337, 338, 382  
*white* gene 322, 426  
 wing length 114, 117, 271, 338, 381, 382  
 wing venation 322-3
- Drosophila mercatorum*  
 abnormal abdomen 327-8  
 developmental time 647  
 ribosomal genes 327-8  
 weight 647
- Drosophila montana*  
 esterase genes 97-98
- Drosophila persimilis*  
 viability 105
- Drosophila prosaltans*  
 viability 105, 117
- Drosophila pseudoobscura*  
 fertility 271  
 fecundity 382  
 genetic map length 211  
 lethal equivalents 281  
 reproductive rate 271

- Drosophila pseudoobscura* (continued)  
 viability 105, 117, 286, 271  
 weight 382
- Drosophila pseudoobscura* × *D. persimilis*  
 hybrid male sterility 387
- Drosophila simulans* × *D. mauritiana*  
 hybrid male sterility 387-8
- Drosophila simulans* × *D. sechellia*  
 hybrid male sterility 387
- Drosophila subobscura*  
 fertility 271  
 gametic-phase disequilibrium 100  
 ocellar bristle number 316  
 ocelliless mutation 316  
 reproductive rate 271
- Drosophila tripunctata*  
 oviposition preference 222, 239
- Drosophila willistoni*  
 lethal equivalents 281  
 viability 105, 271
- Escherichia coli* (human gut bacteria)  
 viability mutation rate 339, 345-7
- ear architecture  
 maize vs. teosinte 481-4
- ear height  
 maize 488
- ear number  
 maize 488, 604-5
- ear size  
 maize 12, 239
- egg hatchability  
*Drosophila melanogaster* 382
- egg laying rate  
*Tribolium* 257
- egg weight  
 chickens 359
- Eichhornia* (aquatic plant)  
 fitness and inbreeding depression 276
- embryo survival  
 porcine 279, 280
- Enneacanthus* (banded sunfish)  
 fin ray, scale counts 115
- enzyme activity  
*Drosophila melanogaster* 337, 338, 339
- Erigeron* (seaside daisy)  
 insect-plant interactions 108-109  
 fecundity 669-71
- esterase genes  
*Drosophila montana* 97-98
- Eurytemora* (marine copepod)  
 heat susceptibility 172
- Euschistus* (pentatomid bug)  
 character fitness estimation 181-82
- eye color  
*Drosophila melanogaster* 322, 426
- eye diameter  
*Astyanax* 222, 239
- eye facet number  
*Drosophila melanogaster* 314-15
- fecundity  
 chickens 423  
*Drosophila melanogaster* 382  
*Drosophila pseudoobscura* 382  
*Erigeron* 669-71
- feeding behavior  
*Thamnophis* 106
- Felis*, see cat
- fertility  
*Drosophila melanogaster* 271, 352  
*Drosophila pseudoobscura* 271  
*Drosophila subobscura* 271  
*Tribolium* 255
- fiber  
 cotton 117
- Ficedula* (flycatcher)  
 beak depth 698  
 bill length 549  
 clutch size 549, 708-9  
 leg length 549  
 wing length 698
- fin ray number  
*Enneacanthus* 115  
*Lepomis* 114  
*Poeciliopsis* 114, 117, 125  
*Salmo* 112, 114  
*Salvelinus* 112, 114
- fingerprints  
 human 124, 584-5, 586, 590-2
- fish, see *Astyanax* (cave fish), *Clupea* (herring), *Cottus* (sculpin), *Danio* (zebrafish), *Enneacanthus* (banded sunfish), *Fundulus* (killifish), *Gambusia* (mosquito fish), *Gasterosteus* (stickleback), *Lepomis* (bluegill sunfish), *Oncorhynchus* (cutthroat trout), *Pleuranectus* (plaice),

- Poeciliopsis* (guppy), *Salmo* (rainbow trout), *Salvelinus* (brook trout)
- fitness (total)  
*Amsinckia* 351  
*Arabidopsis* 346, 351  
*Drosophila melanogaster* 351, 405  
*Leavenworthia* 351  
*Mimulus* 802  
 also see particular fitness components  
 (e.g., fecundity, fertility, longevity, yield, viability)
- fitness and chromosome inversions  
*Drosophila* 381
- fleece characters  
 sheep 726
- flight polymorphism  
*Locusta* 107, *Schistocerca* 107
- flower color  
*Gerbera* 364  
*Mimulus* 478-9  
 tobacco 398
- flower morphology  
*Mimulus* 239, 478-9  
 tristylous plants 82  
*Raphanus* 655
- flowering time  
*Arabidopsis* 489  
 maize 222, 239, 488  
 rapeseed 488  
 sorghum 458-9  
*Solidago* 239  
 tobacco 220, 249, 624-5, 695  
 wheat 245-46
- foot length  
 human 586
- Friedreich ataxia disease  
 human 418
- fronds area  
*Lemna* 124
- fruit characters  
 tomato 487
- fruit color  
 tomatoes 398
- fruit fly, see *Drosophila*
- fruit pH  
 tomato 447, 451
- fruit size  
 red pepper 239  
 tomatoes 398
- fruit soluble-solids  
 tomato 406, 447, 451
- fruit weight  
*Polygonum* 679  
 red pepper 239  
 tomato 222, 239, 406, 447, 451
- Fundulus* (killifish)  
 morphological variance and enzyme heterozygosity 118
- fungi, see *Ascochyta*, *Aspergillus*, *Collybia*, *Neurospora*, *Saccharomyces*
- G6PF activity  
*Drosophila melanogaster* 382
- Gallus gallus*, see chicken
- Gambusia* (mosquito fish)  
 offspring weight 124-25
- gametic-phase disequilibrium  
*Drosophila melanogaster* 100  
*Drosophila subobscura* 100
- Gasterosteus* (stickleback)  
 scale counts 115
- Gazella* (Speke's gazelle)  
 birthweight 255  
 lethal equivalents 279  
 viability 279
- gene order conservation 428-9  
*Arabidopsis* vs. *Brassica* 428  
 rice, maize, sorghum 428-9  
 tomato vs. potato 428  
*Vigna unguiculata* vs. *V. radiata* 428
- genetic map length  
*Aedes* 211  
*Arabidopsis* 211, 236, 396  
 barley 211  
 bean 211  
*Caenorhabditis* 211  
*Danio* 211  
*Drosophila melanogaster* 211, 396  
*Drosophila pseudoobscura* 211  
 human 211, 236, 396  
 maize 211, 236, 396  
*Pinus* 211  
*Neurospora* 211, 396  
*Saccharomyces* 396  
 tomato 211, 396
- genome size  
*Arabidopsis* 396  
 corn 396  
*Drosophila melanogaster* 396

- genome size (*continued*)  
 growth rate & morphology in plants  
   323  
   human 396  
   *Neurospora* 396  
   *Saccharomyces* 396  
   tomato 396
- Geospiza* (Darwin's finches)  
 bill length 549  
 clutch size 549  
 leg length 549  
 weight 711
- Gerbera* (plant)  
 flower color 364
- germination date  
*Impatiens* 357-8
- germination rate  
 tobacco 695
- gill raker number  
*Salmo* 112, 114  
*Salvelinus* 114
- glume characters  
 maize vs. teosinte 481-4
- Glycine max*, *see* soybean
- gonadal development  
*Crassostrea* 614
- Gossypium hirsutum*, *see* cotton
- grain moisture  
 maize 488
- Graptemys* (map turtle)  
 sex ratio 743-4
- gray leaf spot resistance  
 maize 488
- growth hormone gene  
 mouse 419
- growth rate  
*Aspergillus* 92-93  
*Chlamydomonas* 675  
*Daphnia* 123-24, 594-5  
 mouse 484-5  
*Orchesella* 693  
 soybean 403-4  
 tobacco 695  
 tomato 117  
*also see* heterozygosity and growth rate
- Gryllus* (cricket)  
 genetic vs. phenotypic correlations  
   640  
 life history traits 173-74  
 morphological characters 647
- guinea pig (*Cavia porcellus*)  
 coat pattern 124
- guinea pig (*continued*)  
 polydactyly 124, 727-8  
 offspring weight and litter size 309
- handedness  
 human 741
- harelip  
 human 734
- head morphology  
*Drosophila heteroneura* × *D. sylvestris*  
   222, 239  
*Pheidole* 307
- head size  
 human 586
- heading date  
 rice 477
- heart disease  
 human 279
- heart rate  
 human 586
- heat susceptibility  
*Eurytemora* 172
- height  
*Arabidopsis* 426  
 barley 400  
 human 8, 158-61, 272, 586, 726  
 maize 239, 270, 338, 419, 488, 604-5  
 pearl millet 239  
 rice 239, 256, 338  
 soybeans 403-4  
 tobacco 220-21, 249
- heterozygosity and growth rate  
*Bolitotherus* 290  
*Drosophila melanogaster* 290  
 marine bivalves 289-90  
*Minulus* 290-91  
*Pinus* 290  
*Salvelinus* 290  
 trees 290
- hidden genetic variance  
*Daphnia* 105, 106  
 maize 103
- Hirundo* (barn swallow)  
 tail length 726
- Hordeum vulgare*, *see* barley
- human  
 Alzheimer's disease 419  
 apolipoprotein E gene 419

- human (*continued*)  
 arm span 586  
 birth weight 168-70, 272  
 blood groups 99-100  
 blood pressure 586  
 body size 270  
 cartilage-hair hypoplasia (CHH) disease 417-8  
 chest girth 255, 586  
 cholesterol levels 356-7, 419  
 club foot 734  
 cystic fibrosis (CF) 418  
 diabetes 420, 421-2, 523, 527, 529, 530, 531, 738-9  
 diastrophic dysplasia (DTD) disease 415-7  
 finger length 586  
 fingerprints 124, 584-5, 586, 590-2  
 foot length 586  
 Friedreich ataxia disease 418  
 genetic map length 211, 236, 396  
 genome size 396  
 handedness 741  
 harelip 734  
 head size 586  
 heart disease 279  
 heart rate 586  
 height 8, 158-61, 272, 586, 726  
 Huntington's disease 418  
 idiopathic torsion dystonia (ITD) disease 417  
 incest taboos 270  
 IQ 270, 272, 586  
 lethal equivalents 279  
 male vs. female mutation rates 347  
 malnutrition 116  
 medical school attendance 369-70  
 mental retardation 279  
 morphological variance and enzyme heterozygosity 118  
 multiple sclerosis 529, 530  
 psychiatric disorders 529  
 pyloric stenosis disease 739  
 reading disability 519-20  
 schizophrenia 525, 734  
 skin color 217-19, 229-31, 237-38  
 viability 272, 279  
 weight 586  
 Huntington's disease  
 human 418
- idiopathic torsion dystonia (ITD) disease  
 human 417
- imaginal discs  
*Drosophila melanogaster* 655, 723-4
- Impatiens* (jewelweed)  
 germination date 357-8  
 life history traits 570
- inbreeding depression in stressful environments  
*Drosophila* 273  
 human 273  
 mouse 273  
*Tribolium* 273
- inflorescence disarticulation  
 maize 428, 481-3  
 rice 428  
 sorghum 428  
 teosinte 481-3
- insect-plant interactions  
*Apterotheris* and *Erigeron* 108-109
- insecticide resistance  
*Lucilia* 116, 314-15
- Insects, *see* *Aedes* (mosquito), *Apis* (honey-bee), *Apterotheris* (triph), *Biston* (peppered moth), *Bolitotherus* (forked fungus beetle), *Callosobruchus* (cowpea weevil beetle), *Coelopa* (seaweed fly), *Danaus* (monarch butterfly), *Drosophila* (fruit fly), *Gryllus* (cricket), *Euschistus* (pentatomid), *Liriomyza* (leaf-miner), *Locusta* (locust), *Lucilia* (sheep blowfly), *Moraba* (grasshopper), *Nasonia* (wasp), *Orchesella* (springtail) *Panaxia* (moth), *Pheidole* (ant), *Precis* (buckeye butterfly), *Scathophaga* (dung fly) *Schistocerca* (locust), *Tribolium* (flour beetle) *Wyeomyia* (Pitcher-plant mosquito)
- internode length  
 maize vs. teosinte 481-4
- Invertebrates, *see* *Bosmina* (cladoceran), *Caenorhabditis* (nematode), *Daphnia* (waterflea), *Eurytemora* (copepod), insects, mollusks, *Philodina* (rotifer), *Tigriopus* (copepod), *Tisbe* (copepod)
- IQ  
 human 270, 272, 586
- Lactucua sativa*, *see* lettuce
- Larix* (Tamarack)  
 lethal equivalents 282

- larval foraging behavior
  - Drosophila melanogaster* 380
- larval growth on different hosts
  - Liriomyza* 127-28
- Leavenworthia* (plant)
  - total fitness 351
- leaf area
  - maize 488
- leg length
  - Ficedula* 549
  - Geospiza* 549
  - Melospiza* 549, 551
  - Parus* 549
  - Scathophaga* 726
  - Tisbe* 114
- Lemna* (duckweed)
  - fronds area 124
- Lepomis* (bluegill sunfish)
  - fin ray, scale counts 114
- lethal alleles
  - Drosophila* 65
- lethal equivalents
  - Abies* 282
  - Begonia* 282
  - bison 278, 279
  - bovine 278
  - chicken 279
  - Clarkia* 282
  - Coturnix* 279
  - Drosophila melanogaster* 281
  - Drosophila pseudoobscura* 281
  - Drosophila willistoni* 281
  - Gazella* 279
  - human 279
  - Larix* 282
  - Lychnis* 282
  - Mimulus* 282
  - Parus* 279
  - Picea* 282
  - porcine 279
  - Pseudotsuga* 282, 283
  - Raphanus* 282
  - Salvia* 282
  - Schiedea* 282
  - sheep 279
- lettuce (*Lactucua sativa*)
  - pathogen resistance 408
- life history traits 174
  - Arabidopsis* 338
  - barley 338
- life history traits (*continued*)
  - Daphnia* 338
  - Gryllus* 173-74
  - Impatiens* 570
  - Mimulus* 268
  - also see* specific components (e.g., fertility, longevity, viability)
- lima bean (*Phaseolus lunatus*)
  - seed size 222, 239
- Linum* (Flax plant)
  - changes in rDNA copy number 328
- litter size
  - guinea pig 309
  - mouse 275, 693
  - rat 20, 27, 40, 45
- Liriomyza* (leaf-mining insect)
  - larval growth on different hosts 127-28
- Locusta* (locust)
  - flight polymorphism 107
- longevity
  - Drosophila melanogaster* 127-28, 222, 239, 271, 352, 380
  - Philodina* 126
- Lucilia* (Sheep blowfly)
  - insecticide resistance 116, 314-15
- Lychnis* (angiosperm)
  - lethal equivalents 282
- Lycopersicon*, *see* tomato
- Lymnaea* (snail)
  - shell coiling 123
- maize (*Zea mays*)
  - anthesis date 488
  - bronze-1* gene 325
  - corn borer resistance 477-8, 488
  - ear architecture 481-4
  - daylength sensitivity 428
  - ear height 488
  - ear number 488, 604-5
  - ear size 12, 239
  - gene order conservation with rice and sorghum 428-9
  - genetic map length 211, 236, 396
  - genome size 396
  - glume 481-4
  - grain moisture 488
  - gray leaf spot resistance 488
  - height 239, 270, 419, 488, 604-5
  - hidden genetic variance 103
  - inflorescence disarticulation 428
  - internode length 481-4

- maize (*continued*)  
 kernel weight 480-1  
 leaf area 488  
 maize-teosinte differences 481-4  
 morphological characters 604  
 oil concentration 479-81, 488  
 oil content 239  
 outbreeding depression 225-26  
 pathogen resistance 408  
 photoperiod response 428  
 plant architecture 83-85, 88-92, 481-4  
 plant size 338  
 protein concentration 479-81, 488  
 protein volume 478-9  
 reproductive traits 117, 337, 338  
 secondary ears 481-4  
 seed size 428  
 seed weight 239  
 silking time 222, 239  
 starch concentration 479-81, 488  
 tassels 481-4  
*teosinte branched 1* gene 483-4  
*teosinte glume architecture* gene 482  
 vegetative traits 117, 444  
 yield 117, 251-52, 270, 444, 488, 604
- male mating ability  
*Drosophila melanogaster* 271
- male mating activity  
*Drosophila melanogaster* 382
- malnutrition  
 human 116
- mammals, *see* *Acinonyx* (Cheetah), bison (*Bison bison*), bovine (*Bos*), cat (*Felis*), *Gazella* (Speke's gazelle), guinea pig (*Cavia porcellus*), mouse (*Mus musculus*), *Myotis* (bat), *Peromyscus* (deer mouse), porcine (*Sus scrofa*), primates, rat (*Rattus*), sheep (*Ovis aries*), *Thomomys* (pocket gopher)
- mandible measures  
 mouse 338
- marine bivalves  
 heterozygosity and growth rate 289-90
- medical school attendance 369-70
- melanism  
*Biston* 323
- Melospiza* (song sparrow)  
 beak depth 551, 698  
 bill length 549  
 leg length 549, 551  
 wing length 698
- mental retardation  
 human 279
- MHC haplotypes  
 chickens 423
- mouse (*Mus musculus*)  
 age-specific growth 484-5  
 behavioral traits 117  
 body size 405, 464, 654  
 body weight 419  
 brain size 654  
 cranial measures 338  
 coat color 426  
 dental characters 114, 116  
*dilute* gene 426  
 growth hormone gene 419  
 growth rate 484-5  
 inbreeding depression in stressful environments 273  
 litter size 275, 693  
 mean-standard deviation relationship 300  
 offspring weight and maternal inbreeding 273  
 osteometric traits 114, 338  
 skeletal traits 112, 116-17, 337, 338  
*Tabby* mutation 316  
 tooth morphology 114, 116  
 vibrissae (whisker) number 316  
 weight 117, 222, 239, 273, 700-3, 725
- milk production  
 bovine 499, 506
- Mimulus* species (monkeyflowers)  
 anthocyanins 478-9  
 carotenoids 478-9  
 corolla length 239  
 corolla width 478-9  
 fitness 802  
 floral differences 478-9  
 flower color 478-9  
 flower morphology 239  
 heterozygosity and growth rate 290-91  
 lethal equivalents 282  
 life history characters 268  
 nectar concentration 478-9  
 nectar volume 478-9  
 stigma length 478-9
- mitochondrial haplotypes and morphological differences  
*Oncorhynchus* 695

- mollusks, *see* bivalves, *Crassostrea* (oyster), *Cerion* (snail), *Lymnaea* (snail), *Partula* (land snail)
- Moraba* (grasshopper)  
size 381
- morphological variance and enzyme heterozygosity, 118-20
- multiple sclerosis  
human 529, 530
- Mus musculus*, *see* mouse
- mycelia number  
*Collybia* 243
- Myotis* (bat)  
bone lengths 304
- Nasonia* (wasp)  
sex-ratio distorters 126
- nectar traits  
*Mimulus* 478-9
- Neurospora*  
genetic map length 211, 396  
genome size 396
- Nicotiana*, *see* tobacco
- node number  
pea 489
- oats (*Avena sativa*)  
pathogen resistance 408
- ocellar bristle number  
*Drosophila melanogaster* 385  
*Drosophila subobscura* 316
- offspring weight  
*Gambusia* 124-25  
guinea pig 309  
mouse 273
- oil content  
maize 239
- oil concentration  
maize 479-81, 488
- Oncorhynchus* (cuthroat trout)  
mitochondrial haplotypes and morphological differences 695
- Orchesella* (springtails)  
age at maturity 693
- Oryza sativa*, *see* rice
- osteometric traits  
mouse 114  
*also see* bone length, skeletal traits
- outbreeding depression 224-26  
*Daphnia* 224
- outbreeding depression (*continued*)  
*Drosophila* 224  
maize 225-26  
*Tigriopus* 224
- ovariole number  
*Drosophila melanogaster* 617-8
- oviposition preference  
*Drosophila* 222, 239
- Ovis aries*, *see* sheep
- Panaxia* (moth)  
wing color 53, 61
- Papio* (baboon)  
morphological variance and enzyme heterozygosity 118
- Partula* (land snail)  
shell length 551  
shell width 551
- Parus* (great tit)  
clutch size 549  
leg length 549  
lethal equivalents 279  
viability 279  
weight 697, 711
- Passer* (house sparrow)  
mean-standard deviation relationship 300
- Passerella* (fox sparrow)  
morphological variance and enzyme heterozygosity 119
- Pastinaca* (parsnip)  
antiherbivore defense 568-9  
xanthotoxin concentration 568-9
- pathogen resistance  
barley 408  
lettuce 408  
maize 408  
oats 408  
tomatoes 408-9  
wheat 408  
*see also* specific pathogens
- pea (*Pisum sativum*)  
*Ascochyta* fungal blight resistance 478  
node number 489
- peanut (*Arachis hypogaea*)  
mutation rate of quantitative characters 339
- pearl millet (*Pennisetum glaucum*)  
height 239  
*Pennisetum glaucum*, *see* pearl millet

- Peromyscus* (deer mouse)  
 skull morphology 650-1
- Petunia* (Petunia)  
*An1/An2* anthocyanin genes 325
- Phaseolus lunatus*, *see* lima bean
- Phaseolus vulgaris*, *see* bean
- Pheidole* (ant)  
 head size 307
- Philodina* (rotifer)  
 longevity 126
- photoperiod response  
 maize 428  
 rice 428  
 sorghum 406-7, 428  
*Wyeomyia* 222
- Picea* (Spruce)  
 lethal equivalents 282
- pig (*Sus scrofa*), *see* porcine
- Pinus* (pine)  
 genetic map length 211  
 heterozygosity and growth rate 120, 290  
 morphological variance and enzyme heterozygosity 118
- Pisum sativum*, *see* pea
- plant,  
 phenotypic effects of genome size 323
- plant architecture  
 maize vs. teosinte 83-85, 88-92, 481-4  
 soybean 403-4
- plants, *see* *Amsinckia*, *Antirrhinum* (snapdragon), *Arabidopsis*, *Begonia* (Begonia), *Clarkia*, crop plants, *Gerbera* (Gerbera), *Impatiens* (jewelweed), *Leavenworthia*, *Linum* (Flax) *Lemna* (duckweed), *Eichhornia* (aquatic plant), *Erigeron* (sea-side daisy), *Lychnis*, *Mimulus* (monkeyflower), *Pastinaca* (parsnip), *Petunia* (Petunia), *Polygonum* (annual plant) *Raphanus* (radish), *Salvia* (mint), *Schiedea*, *Silene* (plant), *Spartina* (grass), trees, tristylous plants, *Vigna* (cowpea, mung beans)
- Pleuranectus* (plaice fish)  
 morphological variance and enzyme heterozygosity 118
- plicae  
 bivalves 114
- Poeciliopsis* (fish)  
 fin ray number 114, 117, 125
- Poeciliopsis* (continued)  
 scale counts 114, 117  
 tooth numbers 114
- polydactyly  
 guinea pig 124, 727-8
- Polygonum* (annual plant)  
 fruit weight 679
- Populus* (aspen)  
 heterozygosity and growth rate 120
- porcine  
 cross-fostering 703  
 embryo survival 279, 280  
 lethal equivalents 279
- potato (*Solanum tuberosum*)  
 gene order conservation with tomato 428
- Precis* (buckeye butterfly)  
 wing color patterns 655
- primates, *see* *Papio* (baboon), *Saguinus* (tamarin), human
- pronotum width  
*Callosobruchus* 664-5
- protein concentration  
 maize 479-81, 488
- protein volume  
 maize 478-9
- Pseudomonas* (bacterial plant pathogen)  
 tomato resistance 407
- Pseudotsuga* (Douglas fir)  
 lethal equivalents 282, 283
- psychiatric disorders  
 human 529  
*also see* schizophrenia
- pupal weight  
*Tribolium* 338, 703-6, 726
- pyloric stenosis disease  
 human 739
- rapeseed (*Brassica napus*)  
 flowering time 488  
 gene order conservation with *Arabidopsis* 428
- Raphanus* (wild radish)  
 flower morphology 655  
 leaf characters 655  
 lethal equivalents 282  
 seed size 696
- rat (*Rattus*)  
 body size 653-4  
 brain size 653-4

- rat (*continued*)  
 cross-fostering 703  
 litter size and maternal weight 20, 27, 40, 45  
 weight 20, 25, 27, 40, 45, 117
- reading disability  
 human 519-20
- recombination rate variation  
*Drosophila melanogaster* 395
- red pepper (*Capsicum frutescens*)  
 fruit shape 239  
 fruit weight 239
- reproductive isolation  
*Drosophila athabasca* 389  
*Drosophila pseudoobscura* × *D. persimilis* 387  
*Drosophila simulans* × *D. mauritiana* 387-8  
*Drosophila simulans* × *D. sechellia* 387
- reproductive rate  
*Drosophila melanogaster* 271  
*Drosophila pseudoobscura* 271  
*Drosophila subobscura* 271
- reproductive traits  
 maize 117, 337, 338  
 rice 338  
*Spartina* 110-11  
 tobacco 117  
 tomato 117
- reptiles, *see* *Sceloporus* (lizard), *Thamnophis* (garter snake), *Uta* (side-blotched lizard)
- ribosomal genes  
*Drosophila melanogaster* 327-8, 717  
*Drosophila mercatorum* 327-8  
*Linum* 328
- rice (*Oryza sativa*)  
 gene order conservation with maize and sorghum 428-9  
 heading date 477  
 height 239, 256, 338  
 inflorescence disarticulation 428  
 photoperiod response 428  
 reproductive traits 338  
 seed set 256  
 seed size 428  
 transgressive segregation 477  
 yield 256
- root-knot resistance  
 tomato 403
- rye (*Secale cereale*)  
 weight 117  
 yield 117
- Saccharomyces* (bakers yeast)  
 total genetic length 396  
 genome size 396
- Saguinus* (tamarin)  
 cranial measures 112, 114
- Salmo* (rainbow trout)  
 gill raker number 112, 114  
 fin measurements 112, 114
- Salvelinus* (brook trout)  
 fin measurements 112, 114  
 gill raker number 112, 114  
 heterozygosity and growth rate 290  
 morphological variance and enzyme heterozygosity 118
- Salvia* (mint)  
 lethal equivalents 282
- scale counts  
*Enneacanthus* 115  
*Gasterosteus* 115  
*Lepomis* 114  
*Poeciliopsis* 114, 117  
*Sceloporus* 114  
*Uta* 114
- Scathophaga* (dung fly)  
 tibia length 726
- Sceloporus* (lizard)  
 mean-standard deviation relationship 300  
 scale counts 114  
 sprint speed 122-23
- Schiedea* (angiosperm)  
 lethal equivalents 282
- Schistocerca* (locust)  
 flight polymorphism 107
- schizophrenia  
 human 525, 734
- scutellar bristles  
*Drosophila melanogaster* 312-13, 316, 326-7, 333-6, 338, 339, 385
- Secale cereale*, *see* rye
- seed color  
 beans 398
- seed production, *see* fecundity, yield
- seed size  
 lima bean 222, 239  
 maize 428

- seed size (*continued*)  
*Raphanus* 696  
 rice 428  
 sorghum 428
- seed weight  
 bean 11, 13, 398  
 maize 239, 428, 480-1  
*Vigna* 428
- senescence, *see* longevity
- sex ratio  
*Graptemys* 743-4
- sex-ratio distorters  
*Nasonia* 126
- sexual dimorphism  
*Silene* 726
- sheep (*Ovis aries*)  
*Booroola* gene 62-63, 73-74  
 cross-fostering 703  
 fleece characters 726  
 lethal equivalents 279  
 viability 279  
 weight 726
- shell coiling  
*Lymnaea* 123
- shell size  
*Partula* 551
- Silene* (plant)  
 sexual dimorphism 726
- skeletal traits  
 mouse 116, 11, 337, 338
- skin color  
 human 217-19, 229-31, 237-38
- skull measures, *see* cranial measures
- skull morphology  
*Peromyscus* 650-1
- Solanum tuberosum*, *see* potato
- Solidago* (goldenrod)  
 flowering time 239
- sorghum (*Sorghum*)  
 flowering date 458-9  
 gene order conservation with maize  
 and rice 428-9  
 inflorescence disarticulation 428  
 photoperiod response 406-7, 428  
 seed size 428  
 yield 117
- soybean (*Glycine max*)  
 growth rate 403-4  
 height 403-4
- soybean (*continued*)  
 plant structure 403-4  
 transgressive segregation 477  
 yield 403-4
- Spartina* (salt marsh cord grass)  
 reproductive traits 110-11  
 vegetative traits 110-11
- speciation genes, *see* reproductive isolation genes
- sprint speed  
*Sceloporus* 122-123
- starch concentration  
 maize 479-81, 488
- sterility in species crosses  
*Drosophila pseudoobscura* × *D. persimilis* 387  
*Drosophila simulans* × *D. mauritiana* 387  
*Drosophila simulans* × *D. sechellia* 387
- sternopleural bristles  
*Drosophila melanogaster* 115, 173, 236, 271, 382, 385-7
- stigma length  
*Mimulus* 478-9
- Sturnus* (starling)  
 clutch size 549
- survival, *see* longevity, viability
- Sus scrofa*, *see* porcine
- swine, *see* porcine
- Taeniopygia* (zebra finch)  
 bill color 726
- tail length  
*Hirundo* 726
- tail spine length  
*Bosmina* 303, 304
- tarsus length, *see* leg length
- tassels  
 maize vs. teosinte 481-4
- teosinte (*Zea mays*)  
 ear architecture 481-4  
 glume 481-4  
 internode length 481-4  
 maize-teosinte differences 481-4  
 plant architecture 83-85, 88-92, 481-4  
 secondary ears 481-4  
 tassels 481-4
- Thamnophis* (garter snake)  
 antipredator behavior 106, 655  
 chemoreceptive response 648-50

- Thamnophis*(continued)  
 color pattern 106, 655  
 diet shifts 648-50
- Thomomys* (pocket gopher)  
 morphological variance and enzyme heterozygosity 119
- thorax length  
*Callosobruchus* 664-5  
*Drosophila melanogaster* 271, 381, 382
- tibia length, *see* leg length
- Tigriopus* (copepod)  
 outbreeding depression 224
- Tisbe* (marine copepod)  
 leg length 114
- tobacco (*Nicotiana* species)  
 corolla length 239, 398  
 height 220-21, 249  
 flower color 398  
 flowering time 220, 249, 624-5, 695  
 germination rate 695  
 growth rate 695  
 leaf length 221  
 reproductive traits 117  
 vegetative traits 117
- toe number, *see* polydactyly
- tomato (*Lycopersicon* species)  
 gene order conservation with potato 428  
 fruit characters 487  
 fruit color 398  
 fruit pH 447, 451  
 fruit size 398  
 fruit soluble-solids 406, 447, 451  
 fruit weight 222, 239, 406, 447, 451  
 genetic map length 211, 396  
 genome size 396  
 growth 117  
 marker variance effects 439  
 pathogen resistance 408-9  
*Pseudomonas* resistance 407  
 reproductive traits 117  
 root-knot resistance 403  
 tobacco mosaic virus resistance 411  
 transgressive segregation 477
- tooth morphology  
 mouse 114, 116
- transgressive segregation 477-8  
 rice 477  
 soybeans 477  
 tomato 477
- transposition rate  
*Drosophila melanogaster* 339
- Trees, *see* *Abies* (Nobel fir), *Larix* (Tamarack), *Picea* (spruce), *Pinus* (Pine), *Populus* (aspen), *Pseudotsuga* (Douglas fir)
- Tribolium* (flour beetle)  
 developmental rate 578-9, 602-3  
 egg laying rate 257  
 fertility 255  
 inbreeding depression in stressful environments 273  
 pupal weight 338, 703-6, 726
- tristylous plants  
 flower morphology 82
- Triticum aestivum*, *see* wheat
- Uta* (side-blotched lizard)  
 mean-standard deviation relationship 300  
 scale counts 114
- vertebrae number  
*Clupea* 299
- vegetative traits  
 maize 117, 444  
*Spartina* 110-11  
 tobacco 117
- viability  
 bovine 279  
 chicken 279, 280  
*Coturnix* 279  
*Drosophila* 103-105,  
*Drosophila melanogaster* 105, 236, 271, 338, 339, 343-5, 351, 352, 382, 608-10  
*Drosophila persimilis* 105  
*Drosophila prosaltans* 105, 117  
*Drosophila pseudoobscura* 105, 117, 271  
*Drosophila willistoni* 105, 271  
*Escherichia coli* 339, 345-7  
*Gazella* 279  
 human 279  
*Parus* 279  
 porcine 279-80  
 sheep 279
- vibrissae number  
 mouse 316

- Vigna* species (cowpea, mung beans)  
seed weight 428
- weight  
*Arabidopsis* 117  
*Callosobruchus* 664-5  
 chicken 222, 239  
*Drosophila melanogaster* 173, 263, 271, 337, 338, 382  
*Drosophila mercatorum* 647  
*Drosophila pseudoobscura* 382  
*Geospiza* 711  
 guinea pig 309  
 human 586  
 mouse 117, 222, 239, 419, 700-3, 725  
*Parus* 697, 711  
 rat 20, 25, 27, 40, 45, 117  
 rye 117  
 sheep 726  
*also see* birth, offspring, and pupal weight
- wheat (*Triticum aestivum*)  
 flowering time 245-46  
 pathogen resistance 408  
 yield 680
- whiskers, *see* vibrissae number
- wing color  
*Panaxia* 53, 61
- wing pattern  
*Precis* 655
- wing length  
*Apis* 114  
*Callosobruchus* 664-5  
*Coelopa* 381  
*Drosophila* 117  
*Drosophila melanogaster* 114, 271, 338, 381, 382  
*Ficedula* 698  
*Melospiza* 698
- wing venation  
*Drosophila melanogaster* 322-3
- Wyeomyia* (Pitcher-plant mosquito)  
 photoperiod response 222
- xanthotoxin concentration  
*Pastinaca* 568-9
- yield  
 barley 674, 678  
 maize 117, 251-52, 270, 444, 488, 604  
 rice 256  
 rye 117
- yield (*continued*)  
 sorghum 117  
 soybean 403-4  
 wheat 680
- Zea mays*, *see* maize, teosinte
- Zonotrichia* (ruffous-collared sparrow)  
 morphological variance and enzyme heterozygosity 118, 120